

**Washington State
Department of Transportation
Olympic Region
Olympia, Washington 98504**

June 5, 2002

ATTENTION: All Bidders and Planholders

**SR 8
McCleary Interchange
F. A. No. NH-0008(006)**

Addendum No. 2

The Plans for this project are supplemented by the following:

Plans

1. On sheets 26 and 27, General Note 15 is deleted and replaced with the following:
Section 9-05.4(3), Treatment 4 shall be used for all steel and galvanized steel pipes. Aluminized steel and aluminum alloy shall not be used.
2. On sheet 26, structure note D2-5 shall reference GENERAL NOTE 15.
3. On sheet 26, structure note D2-11 shall reference GENERAL NOTE 15.

Bidders are instructed to revise sheet 26 and 27 of the Plans as a revised sheet has not been prepared for attachment to this addendum.

**RANDY HAIN
Olympic Region Administrator**

Attachments: none

NOTE: COMPANY NAME MUST BE FILLED IN TO CERTIFY ACKNOWLEDGEMENT
OF THIS ADDENDUM.

ADDENDUM #: _____

RECEIVED BY: _____ DATE: _____

COMPANY: _____

ALL PROPOSAL HOLDERS PLEASE SIGN AND RETURN THIS PAGE BY RETURN
FAX AT 360-705-6810.

**NOTE !! SUBCONTRACTORS, MATERIALS SUPPLIERS AND PLANCENTERS
NEED NOT ACKNOWLEDGE THIS ADDENDUM.**

ALL PRIME CONTRACTORS MUST ACKNOWLEDGE THIS ADDENDUM.
01C537
MCCLEARY INTERCHANGE